

**AMENDMENTS TO THE CLAIMS**

This listing of claims will replace all prior versions, and listing, of claims in the application:

Listing of Claims:

1. (Currently Amended) A computer-implemented method of automatically updating television schedule data for a plurality of serially-scheduled events telecast on the same channel, each event having a starting time and a duration, the method comprising:

selecting a first one of said events that will extend beyond a scheduled duration thereof;

~~identifying a second one of said events as being the last one of a subset of said events for which starting times will be effected by the overrun of said first event; and~~

providing, upon selection of the first one of the events that will extend beyond the scheduled duration, a graphic user Interface (GUI) including a first field for identifying an amount of the overrun, a second field for indentifying the number of said events that will delayed by the amount of overrun, and a third field for selectively identifying whether a last event of the identified number of events or an event immediately following the last event is to be truncated by the amount of the overrun; and

automatically updating schedule information data for each of said subset of events based upon information about said overrun.

2. (Canceled).

3. (Original) The method of claim 1, wherein said channel is one of a plurality of channels, the method further comprising:

selecting said one of said plurality of channels; and

displaying schedule information about a plurality of events being telecast via the selected channel;

wherein said first event is selected from the plurality of events being displayed.

4. (Original) The method of claim 3, wherein for each event, at least the scheduled starting date, starting time and event name are displayed.

5. (Previously Presented) The method of claim 4, wherein for each event, at least one of the duration and the end time is displayed.

6. (Original) The method of claim 3, wherein:

a channel schedule for said selected channel is represented by a database of Java objects, and

the displayed schedule information is represented by copies of a subset of said Java objects from said database.

7. (Original) The method of claim 6, wherein initially only ones of said copies can be effected by overrun-related schedule changes until said changes are approved by a user, then corresponding Java objects in said database are automatically updated and displayed.

8. (Previously Presented) The method of claim 7, wherein the telecast is a digital terrestrial television broadcast that is compliant with the Advanced Television Standards Committee (ATSC), each event is a program, and said schedule data is program and system information (PSIP) data, the method further comprising:

overwriting, upon approval by a user, PSIP data corresponding to the updated Java objects.

9. (Previously Presented) The method of claim 8, wherein the overwritten PSIP data is an event information table (EIT).

10. (Original) The method of claim 9, wherein at least one of the following fields, `event_id`, `start_time` and `length_in_seconds`, of the EIT is overwritten.

11. (Currently Amended) The method of claim 1, wherein, upon selection of the third field, said plurality of serially-scheduled events are each shifted in their entirety such that said second event is also the last one of said plurality of serially-scheduled events to be shifted in its entirety and the event next to last event is truncated, [[or]] and

wherein upon non-selection of the third field, all of said plurality of serially-scheduled events except said second event are each shifted in their entirety such that said second event is truncated by being the first one of said plurality of serially-scheduled events to have the starting time thereof delayed but have the duration thereof truncated so as to preserve a starting time of [[an]] the event immediately [[subsequent to]] following said second event.

12. (Original) The method of claim 8, wherein a default is for the second event to be truncated unless an indication is given that said second event is to be shifted in its entirety.

13. (Original) The method of claim 1, wherein a start time for each of said plurality of serially-scheduled events is delayed according to said overrun.

14. (Original) The method of claim 10, wherein an end time for each of said plurality of serially-scheduled events except said second event is delayed according to said overrun.

15. (Original) The method of claim 11, wherein an end time for said second event also is delayed according to said overrun.

16. (Original) The method of claim 1, wherein the telecast is a digital television broadcast.

17. (Original) The method of claim 16, wherein said digital television broadcast is a terrestrial broadcast.

18. (Previously Presented) The method of claim 16, wherein said terrestrial broadcast is compliant with the Advanced Television Standards Committee (ATSC), each event is a program, and said schedule data is program and system information (PSIP) data.

19. (Previously Presented) A computer-readable article of manufacture having embodied thereon a computer program comprising a plurality of code segments to perform the method of claim 1.

20. (Previously Presented) An event and system information (PSIP) generator operable to carry out the method of claim 1.

21. (Previously Presented) The method of claim 1, wherein said subset of events involves at least two serially-scheduled events, excluding said first event.

22. (Canceled).

23. (Currently Amended) A method of updating a television broadcast schedule of a plurality of serially-scheduled events for a channel, the method comprising:

selecting a first event that is to be overrun among a plurality of events listed events;

providing, upon selection of the first one of the events that will extend beyond the scheduled duration, a graphic user Interface (GUI) including a first field for identifying an amount of the overrun, a second field for identifying the number of said events that will delayed by the amount of overrun, and a third field for selectively identifying whether a last event of the identified number of events or an event immediately following the last event is to be truncated by the amount of the overrun; and

~~identifying an overrun of an end time of a particular one of the serially-scheduled events;~~

~~identifying a number of events following the particular event that are to be effected by the overrun; and~~

systemically updating a schedule of the serially-scheduled events based on ~~identified overrun and the identified number of events~~ the first, second and third fields in the provided GUI.

24. (Canceled).

25. (Canceled).

26. (Previously Presented) The method of claim 23, further comprising:  
updating a program and system information (PSIP) data storage with the  
updated schedule in response to a user input.

27. (Previously Presented) The method of claim 26, wherein the  
updating step updates an event information table (EIT) in the PSIP data storage  
with the updated schedule.

28. (Previously Presented) The method of claim 23, wherein the  
identified number of events is greater than one.

29. (New) The method of claim 1, wherein the GUI includes a single  
pop-up window including the first, second and third fields.

30. (New) The method of claim 23, wherein the GUI includes a single  
pop-up window including the first, second and third fields.